

Broadmeadows Valley Primary School

Inspection Checklist Schedule

Flammable Liquids Policy

Year 2018

Area	Person Responsible	
	For inspection	
Administration	Jon	Ongoing
Flammable liquids to be stored in Office storeroom		
Art Room	Jon	Ongoing
No flammable liquids to be stored in Artroom		
External Grounds Inspection,	Jon	Ongoing
Includes monitoring and removal of materials that		
may be easily ignited.		
Ensure flammable liquids are stored in container	3	
storage Western end of Learning Neighbourhood 3		
Kitchen	Jon	Ongoing
No flammable liquids to be stored in Kitchen	10000000	
Learning neighbourhood 1	Leader	Ongoing
All flammable liquids are stored in Teacher storeroom.	100 a 1 a 0 a 0 a 0 a 0 a 0 a 0 a 0 a 0	
Learning neighbourhood 2	Leader	Ongoing
All flammable liquids are stored in Teacher storeroom		
Learning neighbourhood 3	Leader	Ongoing
All flammable liquids are stored in Teacher storeroom.		
Multi-purpose room	Jon	Ongoing
Ensure all flammable liquids stored in cleaners	No. of the Control of	
cupboard.		
Staffroom	Jon	Ongoing
Ensure all flammable liquids are stored under sink.		

Evaluation

This policy will be reviewed as part of the school's four-year review cycle.

Ratification

This school policy was ratified at the Broadmeadows Valley Primary School Council meeting on 39..../15.../20./..8

School Council Presiden

Principal C